




Civil Contractor Essentials

Edition 2





Rooney Pipelines - Civil - Infrastructure Partnership with Guardian Civil

For Michael, solving problems daily helps him to face and overcome challenges like getting quality staff and finding ongoing work in a tight market. Having access to our 7.2m aluminium shield helps Michael be more efficient as he needs a lightweight shield that his 20 tonne diggers can lift easily.

The weight of the shields is what stood out to him, as our 7.2m shield allows him to lay a 6m length of sewer which he says “increases productivity” on his sites and makes the job safer.



[Read more here!](#)

Trusted by contractors across New Zealand.

Guardian Supporting the Fulton Hogan Teams Down in the Trenches!

Glen says hiring Guardian shields solved some significant challenges. “Previous shoring systems were heavy and difficult to manage – often requiring large excavators to move them around and extending the workspace.”



[Read more here!](#)

Above-ground Shield Protection for the Euroclass Team!

Guardian's priority was to get the team home safely each night, this solution was the answer for Glenn's team “The shields created a safe work area for our crew when working by the cliff face.”



[Read more here!](#)

Contents



P. 4 & 5

Cones & Barriers



P. 6 & 7

Fencing, Markers, & Flags



P. 8

Temporary Signage




P. 9

Pipe Bungs



P. 10 & 11

Hose Ramps, Speed Bumps
& Parking Kerbs



P. 12 & 13

Trench Covers & Steel
Road Plates



P. 14

Ground Mats



P. 15

Wellpoints & Drain Guards



P. 16 & 17

Marking Paints &
Accessories



P. 18 & 19

Civil Construction Essentials



P. 20 to 23

Civil Contractor Tools



P. 24 & 25

Hand, Eye & Ear Protection +
Rags and Grease



P. 26

Shackles & Web Slings



P. 27

Trench Shoring Equipment



PRODUCT CODE: 9192

Cones & Barriers

Clearly Mark Your Site.

Cones – Stability and Compliance You Don't Have to Second Guess

When you're setting up a site, the last thing you need is gear that tips over or doesn't meet spec. These 900mm cones are built to stay put, with weighted bases and compliance to AS/NZS standards. That means you can set up quickly, know it's right, and move on to the next job. No questions from the main contractor. Just gear that does what it's supposed to do, first time.

Barrier Arms and Warning Tape – Clear Separation, Fast Setup

When you need to control access or mark out hazards, speed matters. Extendable barrier arms and hi-visibility tape let you set boundaries quickly and clearly. No confusion, no delays. Everyone on site knows where they should and shouldn't be. That reduces downtime, keeps work flowing, and helps you stay compliant without over complicating the setup.

Our Range:



PRODUCT CODE: 9192

DIMENSIONS:
900 (H) mm

- DESCRIPTIONS:
- Narrow (S-Line) cone with 2 reflective collars.
 - Compliant to NZ standards to comply with colour and luminance requirements.
 - NZGTTM & CoPTTM Compliant.



PRODUCT CODE: 9176

DIMENSIONS:
1.4 (L) m x 4 (thick) mm

- DESCRIPTIONS:
- 900mm high Port-A-Cone which can be collapsed into a small flat carry bag. 2 reflective strips.
 - Internal LED light powered by AAA batteries.



PRODUCT CODE: 9325

- No stopping cone sleeve, 10pk



PRODUCT CODE: 9160

DIMENSIONS: 100 (L) m x 75 (W) mm

- OTHER OPTIONS MESSAGES:
- | | |
|--|--|
| <ul style="list-style-type: none">▪ Danger Men Working Above▪ Restricted Area Please Keep Out▪ Keep Off Concrete▪ Wet Paint▪ Danger Radioactive▪ Asbestos Warning▪ Road Closed▪ Caution Buried Water Main | <ul style="list-style-type: none">▪ Caution Buried Gas Main▪ Danger Electric Cable Below▪ Caution Buried Sewer Main▪ Non Potable Water▪ Caution Buried Optic Fibre Cable |
|--|--|



PRODUCT CODE: 9178

DIMENSIONS:
1200 to 2100 (L) mm

- DESCRIPTIONS:
- Extendable reflective barrier arm.
 - For mounting onto cones.

Fencing, Markers, & Flags

Keep Your Site Clearly Marked and Safe for the Public.

Temporary Fencing – Solid Control Without Slowing the Job Down

When you need to lock down an area fast, this fencing gives you a reliable perimeter that holds up in real conditions. The galvanised frame and mesh infill are built for repeat use, so you're not replacing gear every job. It's quick to set, easy to move, and keeps your site organised. That means fewer disruptions and a setup you can trust to meet site requirements without rework.

Barrier Mesh – Flexible Coverage When Plans Change

Not every job needs full fencing, but you still need clear boundaries. Barrier mesh gives you a fast, adaptable option to separate hazards or guide movement across site. Lightweight and reusable, it rolls out quickly and packs down just as fast. It keeps things efficient when conditions shift, without over complicating the job or adding extra gear.

Road Markers – Visibility That Keeps Working After Impact

These markers are built to take knocks and bounce back into position. No springs, no complex parts—just a flexible design that returns upright when hit. Combined with reflective bands, they stay visible in all conditions. That means less maintenance, fewer replacements, and a site that stays clearly marked without constant attention.

Flag Bunting – Fast, Visible Separation Across Larger Areas


This 30m barrier rope with fluoro PVC flags gives you instant visual control across site. With hi-visibility flags spaced along the rope, it clearly marks hazards, walkways, and restricted zones without needing full barriers. It's quick to install, easy to move, and ideal when you need coverage over distance.



Our Range:

Construction Fence Barrier with Netting and Feet

	Product Code	Descriptions
	9169-11	1.1m wide x 1.25m high. - Frame is constructed out of 25mm x 1.8mm wall. - Infill is hi-vis orange 30mm x 30mm diamond mesh netting. - Each fence weighs 10kg including the feet. - High galvanizing for extra outdoor durability.
	9169-22	2.2m wide x 1.25m high. - Frame is constructed out of 25mm OD x 2.0mm wall. - Infill is hi-vis orange 30mm x 30mm diamond mesh netting. - Each fence weighs 20kg including the feet. - High galvanizing for extra outdoor durability. - Removable feet are 600mm x 60mm x 8mm.



PRODUCT CODE: 9184

DIMENSIONS: 30 (L) m

DESCRIPTIONS:

- Fluro flags on rope.
- 3 flags per metre.
- Hi-vis fluoro PVC triangle flags.
- 30-metre length.
- 45 flags per 30mtr length.
- Excellent delineation for site boundaries, hazard areas.



PRODUCT CODE: 9180

DIMENSIONS:
30 (L) m x 900 (H) mm

DESCRIPTIONS:

- Create a temporary barrier and keep your workplace safe with barrier mesh.
- Useful in many situations, and reusable.
- Long term UV resistant.



PRODUCT CODE: 9175

DIMENSIONS:
800 (H) mm

DESCRIPTIONS:

- Flexi-Post Bollards to control vehicles and traffic flow better.
- Extremely impact resistant, made from very durable PU and EVA.
- Springs back to vertical after impact.



PRODUCT CODE: 9177

DIMENSIONS:
1.4 (L) m x 4 (thick) mm

DESCRIPTIONS:

- 150mm red reflector band with 450mm white reflective band on white PVC.
- High impact grade PVC is UV resistant and durable.
- Inbuilt barb for better ground retention.

Temporary Signage
Get Your Site Set Up Fast.

Temporary Warning Signs – Clear Messaging That Holds Up on Site

When signage isn't clear, people make the wrong call. These hi-visibility roadwork signs are built to be seen and understood quickly, even in busy environments. With standard sizing and clear messaging, they help you meet compliance requirements without second guessing. It's one less risk to manage, and it shows you're running a site that's organised and under control.

Sign Stands and Mounting – Stability You Can Rely on

A sign that falls over isn't doing its job. The stand and mounting systems are designed to keep signage upright and visible in real conditions. Easy to set up and transport, they let your team position signs where they're needed without wasting time. It keeps your site compliant and avoids the constant rework that comes with gear that doesn't hold.

Sign Accessories – Simple Gear That Keeps Everything Working

Retaining bags and mounting options might seem like small details, but they make a difference on site. Weighted bags keep signage stable in wind and traffic, while simple carry and setup features make them easy for crews to use properly. These are the details that stop problems before they start—keeping your site tidy, compliant, and running without interruption.

Supplementary Temporary Warning Signs


	Product Code	Dimensions (mm)	Descriptions
	9328-TG32	900 (W) x 500 (H) with 2 or more lines of text.	Warning Signs: We have a massive range of temporary signs, call us to find out more.
	9328-TV2		
	9328-TV5		
	9328-TV4		
	9319-T1A	750 (W) x 750 (H) in a diamond shape.	Men Working temporary warning sign.



PRODUCT CODE: 9322

DESCRIPTIONS:

- Sign retaining bag.
- 20kg each.
- Easy to use with a carry handle.



PRODUCT CODE: 9320

DESCRIPTIONS:

- Sign stand - base for holding upright.
- Folds for easy storage and transportation.



PRODUCT CODE: 9321D

DIMENSIONS: 900 (H) mm

DESCRIPTIONS:

- Fits a diamond sign on the upright.
- Fits supplementary signs on both sides.



PRODUCT CODE: 2537

Pipe Bungs

Keep Water Under Control.

Pipe Bungs – Controlled Sealing When it Matters

When you’re testing or isolating pipework, you need a seal you can trust. These inflatable pipe bungs are built to handle pressure reliably, giving you control during testing without leaks or guesswork. Different sizes and pressure ratings mean you can match the right bung to the job. It’s about getting accurate results the first time and avoiding costly delays or rework.

Sava Pipe Sealing Test Plug

	Product Code	Inflation Pressure	Dimensions (mm)
	2532	2.5 bar	100-200
	2534	2.5 bar	150-300
	2536	2.5 bar	300-525
	2538	2.5 bar	375-750
	2541	1.5 bar	600-1200
	2533	2.5 bar	100-200
	2535	2.5 bar	150-300
	2537	2.5 bar	300-525
	2539	2.5 bar	375-750
	2542	1.5 bar	600-1200



PRODUCT CODE: 9551

Hose Ramps, Speed Bumps, & Parking Kerbs

Keep a Smooth and Safe Flow of Traffic On Site.

Hose Ramps – Protect Assets and Keep the Job Moving

Loose hoses across access ways slow everything down and create risk. These heavy-duty hose ramps are built to take the load, with up to 20-tonne axle capacity and channels that keep cables and hoses protected. It means vehicles keep moving, gear stays intact, and you're not stopping the job to fix avoidable damage. Simple setup, solid performance, and one less thing to manage on a busy site.

Speed Humps – Control Movement Without Slowing Progress

Speed on site is always a trade-off. You need control, but you can't afford bottlenecks. These rubber speed humps are designed to slow vehicles where it matters without disrupting flow across the whole site. Modular sections and end caps make them easy to install where you need them. It's a straightforward way to reduce risk around people and equipment, while keeping productivity where it needs to be.

Parking Kerbs – Clear Boundaries That Prevent Damage

Parking kerbs do one job well—stop vehicles before they become a problem. With hi-visibility and solid construction, they protect buildings, plant, and other vehicles from overshooting. Fixing options for asphalt or concrete mean they stay where they're put. It's a simple control measure that avoids unnecessary damage, rework, and conversations you don't want to have at the end of the day.

Fixings and Accessories – The Small Details That Hold Everything Together

Kerbs and humps only work if they stay put. Reliable fixings and anchors make sure everything holds under pressure and over time. Whether it's spikes for asphalt or bolts for permanent installs, it's about getting it right once and not revisiting it. These are the details that keep your site consistent, compliant, and running without interruptions.

Our Range:



PRODUCT CODE: 2703

DIMENSIONS:
1110 (L) x 300 (W) x 135 (H) mm

DESCRIPTIONS:

- 2 channels at 136 (W) x 129 (W) mm for cables and hoses.
- Weighs 20kg each.
- 20 ton axle capacity rated.



PRODUCT CODE: 2702

DIMENSIONS:
850 (L) x 300 (W) x 85 (H) mm

DESCRIPTIONS:

- 2 channels at 90 (W) x 90 (W) mm for cables and hoses.
- Weighs 12kg each.
- 9 ton axle capacity rated.



PRODUCT CODE: 2510

DIMENSIONS:
1300 (W) x 700 (D) x 100 (H) mm

DESCRIPTIONS:

- Antislip surface and raised sides.
- Only weighs 11kg.
- Works on kerbs from 60 - 160mm high.



PRODUCT CODE: 2710-100

DIMENSIONS:
600 (W) x 300 (D) x 100 (H) mm

DESCRIPTIONS:

- Black with yellow triangle reflective taping.
- Solid rubber design.
- Weighs 11kg each.



PRODUCT CODE: 9535

DIMENSIONS:
1830 (L) x 300 (W) x 500 (H) mm

DESCRIPTIONS:

- Speed hump to slow traffic down.
- End caps to fit on ends available.



PRODUCT CODE: 9536

DIMENSIONS:
1650 (L) x 155 (W) x 100 (H) mm

DESCRIPTIONS:

- Parking kerb to make your car park safer and protect your property from cars overshooting the mark.
- Fixing pins available for asphalt or concrete.



PRODUCT CODE: 9534

DESCRIPTIONS:

- Speed hump end.



PRODUCT CODE: 9537

DIMENSIONS:
305 (L) x 15 (D) mm

DESCRIPTIONS:

- Asphalt spike for fixing parking kerb or speed hump into asphalt.



PRODUCT CODE: 9538

DIMENSIONS: 100 (L) mm

DESCRIPTIONS:

- Dyna bolt for parking kerb.

Trench Covers & Steel Road Plates

Keep Vehicles and Pedestrians Safe From Site Trenches.

Steel Road Plates That Keep Jobs Moving

These plates are built for load, stability, and repeat use. With thickness options up to 25mm and weights up to 1200kg, they're designed to handle live traffic and heavy plant without shifting or flexing. That gives you a reliable way to maintain access across open trenches while keeping your site compliant and operational. When the job's under pressure, you need gear that holds up without question.

Pedestrian Trench Covers That Reduce Risk Immediately

Lightweight, hi-visibility covers with defined load ratings give you a quick way to secure open trenches and protect foot traffic. With options handling up to 700kg depending on span, they're suited to real site conditions where risks change fast. Your crew can install them quickly without heavy lifting gear, which means less downtime and safer sites straight away. Getting protection in place fast matters when conditions shift during the day.

Fit-for-purpose Options That Match the Job, Not Just the Spec Sheet


From compact 400mm covers to larger 1600mm spans, and multiple plate sizes, you've got the flexibility to match the right product to the trench, not force a workaround. That reduces risk, avoids rework, and keeps your site running efficiently. It also backs up your compliance position, with clear load capabilities and appropriate applications. Getting the right product first time builds confidence with your team and protects your reputation on site.






PRODUCT CODE: 2489

Our Range:

Steel Road Plates

	Product Code	Dimensions (m)	Thickness	Weight
	2497	1.2 x 1.2	12mm	125kg
	2500	2.4 x 1.2	12mm	250kg
	2501	2.4 x 1.2	25mm	700kg
	2502	2.4 x 1.5	25mm	750kg
	2505	3.0 x 2.0	25mm	1200kg
	2507	4.0 x 2.4	25mm	1900kg

Reinforced Plastic Pedestrian Trench Cover

	Product Code	Dimensions (mm)	Max Load	Weight
	2489	1400 (L) x 800 (W)	600kg over 0.6m wide trench	19kg approx
	2490	1600 (L) x 1200 (W)	350kg over 1.1m wide trench 500kg over 0.9m wide trench 600kg over 0.7m wide trench 700kg over 0.5m wide trench	26kg approx
	2492	1200 (L) x 800 (W)	500kg over 0.9m wide trench 600kg over 0.7m wide trench 700kg over 0.5m wide trench	13kg approx
	2511	1200 (L) x 800 (W)	500kg over 0.9m wide trench 600kg over 0.7m wide trench 700kg over 0.5m wide trench	23kg approx
	2512	1600 (L) x 1200 (W)	350kg over 1.1m wide trench 500kg over 0.9m wide trench 600kg over 0.7m wide trench 700kg over 0.5m wide trench	39kg approx

Ground Mats

Keep Your Turf Clean.




Watch our FAQ video on ground mats here!

Ground Mats – Keep Sites Moving in All Conditions

Soft ground slows jobs down fast. These heavy-duty ground mats spread load and create a stable surface for vehicles, equipment, and foot traffic. You're not dealing with bogged machinery or damaged access ways. It's a simple way to keep productivity up and avoid rework, especially when conditions turn. Get in, get the job done, and move on without tearing the site up.

Ground Mats


	Product Code	Dimensions (mm)	Thickness (mm)	Weight (kg)
	2808B	2440 x 1220	12	39



PRODUCT CODE: 2834

DESCRIPTIONS:

- 4 Way ground protection mat links, for connecting mats together.



PRODUCT CODE: 2832

DESCRIPTIONS:

- 2 Way ground protection mat links, for connecting mats together.



PRODUCT CODE: 2516

Wellpoints & Drain Guards


Keep Your Drains Clean.

Wellpoints – Control Water Before it Controls Your Job

Water in the wrong place brings everything to a stop. These stainless steel wellpoint spears are built for efficient dewatering, with screened intakes that handle site conditions properly. It gives you control over groundwater so excavation can continue safely and on schedule. No guesswork, no delays—just a setup that works when you need it to.

Drain Guards – Stop Problems Before They Leave Site

Sediment runoff creates bigger issues beyond your site. These drain guards are designed to capture silt and debris before it enters the system, helping you stay compliant and avoid unnecessary clean-up or penalties. Built-in overflow ports mean they still perform in heavy rain, so you're not trading one problem for another. It's a practical control that protects your site and your reputation.



PRODUCT CODE: 2520

DIMENSIONS:
1000 (L) x 50 (D) mm

DESCRIPTIONS:

- Wellpoint spear for dewatering with self-jetting head for locating.
- Wedge-wire type screen made of S/S 304, filter gap is 0.2mm.
- Thread for extension tube is 38mm BSP.



PRODUCT CODE: 2515

DIMENSIONS:
250 (W) mm x 1 (L) m

DESCRIPTIONS:

- A convenient solution for protecting culverts and cess pits from sediment-laden run-off.
- UV Stabilised and reusable, simply fill with sand.
- Unfilled.



PRODUCT CODE: 2516

DIMENSIONS:
1220mm (H) x 910 (D) mm

DESCRIPTIONS:

- Large sediment accumulation pocket holds up to 18kg of silt, sediment and rubbish as well as 3.5L of oil and grease.
- Built-in overflow ports avoid flooding in heavy rain events.

Marking Paints & Accessories

Easily Mark Out Services On Site.

Marking Paint – Clear, Visible, and Made to Last

When you're setting out a job, there's no room for guesswork. This marking paint gives you strong, hi-visibility lines across multiple colours, including fluro options for high-traffic or low-light sites. It sticks properly to bitumen and grass, and it holds up under UV. That means fewer reworks, clearer communication on site, and no confusion for your crew when time is tight.

Long-lasting Performance That Reduces Rework

The paint is designed to last, not fade out halfway through the job. That matters when you're managing multiple teams and stages on site. You're not constantly re-marking or second-guessing layout lines. It's one less thing to chase, helping you keep the job moving and avoid delays that eat into budget and credibility.

Spot Marker and Applicator – Faster, Safer Application

The spot marking system with the long-reach applicator takes the strain off your team. No bending, no slowing down. It's quicker to apply, more consistent, and safer over a full day on site. When your crew can mark accurately without breaking rhythm, you get better productivity and fewer mistakes that need fixing later.



Our Range:

Marking Paint



Product Code	3202	3203	3204	3205	3206	3207
Colour	Red	Green	Yellow	White	Orange	Blue



Product Code	3210	3211	3212	3213	3214	3215
Colour	Fluro Red	Fluro Blue	Fluro Orange	Fluro Pink	Fluro Green	Fluro Yellow



PRODUCT CODE: 3231 (Yellow) & 3230 (White)

DIMENSIONS: 1000 (L) x 50 (D) mm

- DESCRIPTIONS:
- Line marking paint mark new lines, repair old lines, or cover up unwanted marks on concrete, bitumen and grass with a long- lasting UV-resistant paint.



PRODUCT CODE: 3222

- DESCRIPTIONS:
- Squiter backsaver for spot marker.
 - Back saver handle.
 - You can now spray without bending over!
 - Takes Signet Spot marker cans.

Civil Construction Essentials

The Little Things That Make the Job Easy.

Snap Cutter Craft Knives – Safe, Simple, Ready to Go

When your crew's cutting all day, safety and control matter. These snap cutters are built with safety locks, retractable blades, and quick blade changes so the job keeps moving without risk creeping in. No fiddling around, no shortcuts. Just a tool that works the way it should, helping your team stay efficient and avoid injuries that slow the job down.

Tape Measure – Accuracy You Can Trust First Time

An 8m tape sounds basic, but it's one of the tools that can make or break a job. This one is built for daily use, giving you reliable, repeatable measurements without stretch or failure. That means fewer mistakes, less rework, and confidence your layouts are right from the start. Get it right first time and you keep your timelines intact.

Measuring Wheel – Fast, Accurate Set-out Across Site

For larger distances, the wheel measure takes the guesswork out. The robust frame and easy-read counter let your team measure quickly without slowing down or double-checking every run. When you're laying out a site under pressure, this keeps things moving and accurate, helping you stay on programme and avoid costly errors.

Wheelbarrow – Built to Handle Real Site Conditions

This isn't a light-duty barrow. The seamless, galvanised tray handles tough loads without rusting out, and the balanced design makes it easier to tip and move material where it's needed. It's one of those tools your crew uses constantly, so it needs to hold up. When it does, you avoid breakdowns, delays, and unnecessary replacements.

Cable Ties – Small Gear That Keeps Everything in Place


Cable ties don't get much attention until they fail. These are built to hold, with high-strength material that won't snap or degrade on site. Whether it's securing signage, bundling materials, or keeping setups tidy, they do the job properly. It's a small detail, but it keeps your site organised and avoids issues that come from things coming loose at the wrong time.

Line Reels – Simple Control Over Straight, Accurate Lines

For longer runs, the line reels give you a clean, reliable way to mark straight lines fast. The high-strength line holds up on site without fraying or snapping, so you're not wasting time resetting. It's a straightforward tool, but it keeps layouts accurate and jobs running smoothly—exactly what you need when you're balancing speed, compliance, and getting it right first time.



PRODUCT CODE: 3590



PRODUCT CODE: 3529

DIMENSIONS: 18mm

DESCRIPTIONS:

- Ergonomic grip with safety lock.
- Takes 18mm blades.
- Sold only in box of 24.



PRODUCT CODE: 3550

DIMENSIONS: 18mm & 25mm

DESCRIPTIONS:

- Snap cutter craft knife magnetic mount - easy storage.
- Retractable function for safety.



PRODUCT CODE: 3574

DIMENSIONS: 18mm & 25mm

DESCRIPTIONS:

- Snap cutter craft knife blades.
- Pack of 10 blades.
- Comes with dispenser.



PRODUCT CODE: 3052

DIMENSIONS
1000mm circumference wheel

DESCRIPTIONS:

- Rotosure deluxe model with a robust heavy duty oval frame that folds in half for storage or carrying.
- Complete with a trigger brake in the handle and a kick stand.
- Long life - you will have this for years.



PRODUCT CODE: 4990

DESCRIPTIONS:

- 72 litre capacity.
- Bolt-free seamless tray, no-rust frame that is galvanised inside and out.
- Tough steel.
- Impact resistant tray, narrow and deep for easy pouring and balanced tipping.
- Total weight of 22kg.



PRODUCT CODE: 3533M

DESCRIPTIONS:

- Metric tape measure.
- 8 metre long tape.




PRODUCT CODE: 3531

DIMENSIONS: 80cm reel

DESCRIPTIONS:

- White string line, high stretch nylon that won't rot.
- 20 per box.

Black Cable Ties



Product Code

Dimensions (mm)

3590

100 x 2.5

3591

200 x 4.8

3592

300 x 4.8

Product Code

Dimensions (mm)

3593


380 x 7.6

3594

533 x 9.0

3595

760 x 9.0



Civil Contractor Tools

Reliable Gear for Demanding Sites

Built for Tough Civil Site Work

From shovels and crowbars to tampers, lutes and manhole prys, these are the everyday tools crews rely on to get the job done. Built for demanding site conditions with heavy-duty materials and proven designs, they're made to withstand hard use, reduce downtime, and keep working when it matters most.

The Right Tool for Every Task

Whether you're digging trenches, compacting asphalt, lifting manhole covers, spreading asphalt, clearing debris or cutting through concrete, having the right tool saves time and delivers a better result. Purpose-built tools help your crew work more efficiently, reduce rework, and keep projects moving without unnecessary delays.

Built for Safety and Control

On busy civil sites, control matters. Ergonomic handles, reinforced construction and specialist tools designed for high-risk tasks help reduce strain, improve handling and minimise risk. From insulated manhole tools to heavy-duty tampers and quality saws, every tool is selected to help crews work safely and confidently.

Reliable Gear That Keeps Projects Moving

When equipment fails, productivity suffers. That's why we supply tough, dependable tools that stand up to daily site use. Fewer replacements, fewer interruptions and equipment you can trust means your crew can stay focused on the job, hit deadlines and keep projects on track.



PRODUCT CODE: 3927

DIMENSIONS: 203 mm

DESCRIPTIONS:

- Asphalt tamper with steel handle.
- Head is 5.4kg head.




PRODUCT CODE: 3886

DIMENSIONS: 800 mm

DESCRIPTIONS:

- Manhole prybar - remove manhole covers with ease!
- Double ended manhole lever - key one end and hook the other.
- Made of galvanised steel - won't rust.



PRODUCT CODE: 3920

DIMENSIONS: 1650 (L) x 30 (W) mm

DESCRIPTIONS:

- Crowbar with diamond point and chisel end.
- Steel.



PRODUCT CODE: 3829

DIMENSIONS:
1660mm alloy long handle, with 800mm wide head

DESCRIPTIONS:

- Asphalt lute with wooden head.
- Replacement blades and handles available.
- Wooden head manufactured to resist cracking on grain.



PRODUCT CODE: 3876

DIMENSIONS: 500 (L) mm

DESCRIPTIONS:

- Steel saw, plastic ergonomic handle for comfort.
- 8TPI teeth.
- 65MN steel blade for durability and dual angle.



PRODUCT CODE: 3815

DIMENSIONS: 1550 (L) x 32 (W) mm

DESCRIPTIONS:

- Crowbar.
- Made to BS8020.
- Fully insulated.
- Tested individually and certified to 1000 volts.



PRODUCT CODE: 3887

DIMENSIONS: 610 mm

DESCRIPTIONS:

- For lifting manhole covers.
- Steel.



PRODUCT CODE: 3832

DIMENSIONS:
800mm wide flat aluminium blade head with 1660mm long handle

DESCRIPTIONS:

- Asphalt lute with aluminium head.
- Smooth alloy head.
- Replacement blades and handles available.

Our Range Continued:



PRODUCT CODE: 3860

DIMENSIONS: 355 (W) mm head

DESCRIPTIONS:

- Yard broom with white poly bristles and handle support bracket.
- Long 28mm round wooden handle.



PRODUCT CODE: 3863

DIMENSIONS: 610 (W) mm with long wooden handle

DESCRIPTIONS:

- Wide broom with black bristles.



PRODUCT CODE: 3069

DIMENSIONS: 800mm

DESCRIPTIONS:

- Hearth type brush.
- Black bristles.
- Wooden handle.



PRODUCT CODE: 3914

DIMENSIONS: 1500 (L) mm handle with 460 (W) mm head

DESCRIPTIONS:

- Rake, Fibreglass handle
- 16 tines.



PRODUCT CODE: 3824

DIMENSIONS: 1700 (L) mm handle with 910 (W) mm head

DESCRIPTIONS:

- Tipped teeth help prevent gouging of lawn surface.
- All-aluminium construction is light and easy to use.
- Double sided head: rake and scraper.
- Head fully braced to handle.



PRODUCT CODE: 3915

DIMENSIONS: Wooden 1420 (L) mm handle with 430 (W) mm head

DESCRIPTIONS:

- Head fully braced to handle.
- Braced rake, wooden handle.
- Rake



PRODUCT CODE:	3900
DIMENSIONS:	220 mm wide head

- DESCRIPTIONS:
- Steel blade for longer life.
 - Blade step increases driving power and blade capacity.
 - Fiberglass handle.



PRODUCT CODE:	3903
DIMENSIONS:	230 mm wide head

- DESCRIPTIONS:
- Square mouth shovel, wooden handle.
 - Hot rolled, tempered steel blade.
 - Contoured hardwood handles with rounded ends.
 - Extended steel handle socket.



PRODUCT CODE:	3801
DIMENSIONS:	245 mm wide head

- DESCRIPTIONS:
- Square mouth shovel
 - Extra thick 14 gauge steel blade for longer life.
 - Fibreglass handle is 40% stronger than wood.
 - Safety sleeve helps prevent splintering.



PRODUCT CODE:	3800
DIMENSIONS:	225 mm wide head

- DESCRIPTIONS:
- Extra thick 14 gauge steel blade for longer life.
 - Fibreglass handle is 40% stronger than wood.
 - Safety sleeve helps prevent splintering.
 - Blade step increases driving power and blade capacity.



PRODUCT CODE:	3908
DIMENSIONS:	235 mm wide head

- DESCRIPTIONS:
- Hot rolled, tempered steel blade.
 - Study hardwood handle with poly D-grip.



PRODUCT CODE:	3907
DIMENSIONS:	180 mm wide head

- DESCRIPTIONS:
- Trenching shovel with long ash wooden handle.
 - Blade step for increased driving power and blade capacity.



PRODUCT CODE:	3909
DIMENSIONS:	260 mm wide head

- DESCRIPTIONS:
- All-steel, welded construction.
 - Durable and cost-effective.
 - Easy to clean asphalt off.



PRODUCT CODE:	3905
DIMENSIONS:	250 mm wide head

- DESCRIPTIONS:
- Shovel with long ash wooden handle.
 - Round mouth shovel.



PRODUCT CODE: 9305S/3534

Hand, Eye & Ear Protection + Rags and Grease

**Protect Your Team on Site With the
Right PPE.**

Gloves That Hold Up Under Real Work

The nitrile-coated and abrasion-resistant options give your crew grip, durability, and control when handling tools and materials. That matters when the job's moving fast and mistakes cost time. With consistent fit and performance across sizes, your team can get on with the work without stopping to adjust or replace gear.

Hearing Protection That Works Across the Site

With Class 5 rated earmuffs and high-performance ear plugs, you're covering a wide range of noise conditions without overcomplicating it. Features like airflow control and contoured fit mean your crew can wear them properly for longer, which is what actually reduces risk. It's a simple way to stay compliant and protect your team in environments where noise exposure is constant.

Eye Protection That's Ready for Daily Use

Anti-scratch, anti-fog lenses with full UV protection mean these glasses are built for real site conditions, not just compliance tick-boxes. Whether it's dust, glare, or changing weather, your crew can keep visibility clear and stay focused on the task. When PPE is comfortable and works properly, it gets worn. That's what reduces incidents, not just having it on site.

Rags That Get the Job Cleaned Up Fast

Compressed rag bundles give you a simple, ready-to-go clean-up solution on site. Mixed cotton, good volume, no fuss. When something spills or gear needs wiping down, your crew isn't wasting time hunting for materials or making do with the wrong gear. It's one of those small details that keeps jobs moving and avoids bigger clean-up issues later.

Our Range:



PRODUCT CODE: 9306

DESCRIPTIONS:

- Wet and dry grip gloves with water repellent palm.
- Sizes - S, M, L, XL.



PRODUCT CODE: 9305S

DESCRIPTIONS:

- Black colour gloves to mask stains.
- 100 per/box.
- Sizes M, L, XL, 2XL.



PRODUCT CODE: 9303

DESCRIPTIONS:

- Earplugs, box 200 pairs.



PRODUCT CODE: 9309S

DESCRIPTIONS:

- Safety glasses, smoke lens.
- 99.9% UV protection, medium impact, polycarbonate lens.



PRODUCT CODE: 9309C

DESCRIPTIONS:

- Safety glasses, clear.
- 99.9% UV protection, medium impact, polycarbonate lens.



PRODUCT CODE: 9312

DESCRIPTIONS:

- Earmuffs, folding 30db.
- Airflow control technology (AFC)



PRODUCT CODE: 3534

DESCRIPTIONS:

- 10kg compressed bundle
- Very useful for cleaning up.
- Mixed cotton.
- Rags bundle.



PRODUCT CODE: 5329

DESCRIPTIONS:

- Grease Cartridge – Multipurpose, 450 g (Box of 20).
- Box of 20 Individual Cartridges.
- Lithium complex grease.



PRODUCT CODE: 8485

Shackles & Web Slings

Don't Start a Lift Without the Right Gear.

Steel Shackles You Can Rely on When Loads are High

Galvanised bow shackles with clear working load limits take the guesswork out of lifting and towing. You know what they're rated for, and you know they'll hold. That's critical when you're managing heavy loads on site and need to stay compliant. It's about getting it right first time, not second guessing gear when the pressure's on.


Web Slings That Make Lifting Predictable and Controlled

Web slings with clear WLL ratings and multiple length options give you control when positioning loads. They're easy to handle, reduce damage to materials, and help your crew lift with confidence. When lifting is predictable, the job runs smoother and safer. It's the kind of detail that keeps your site efficient and your team out of harm's way.

Galvanised Bow Shackles

	Product Code	Dimensions (mm)	WLL
	8485	25	6.5 T
	8481	11	1.0 T
	8482	16	2.0 T
	8732	32	9.5 T
	8480	10	0.75 T

Web Sling

	Product Code	WLL (kg)	Length (m)
	WS1-1.0	1,000	1
	WS2-2.0	2,000	2
	WS3-3.0	3,000	3

Full range of trench shoring equipment available for hire or purchase.



Manual and Hydraulic Solder Sets



Standard Trench Shields



Large Trench Shields



Modular Trench Shoring System



Manhole Boxes



Trench Accessories

Request our range of product flyers from the team...
or jump online at www.guardiancivil.co.nz.

Aluminium Loading Ramps Catalogue



Scan the
QR code to
download the
catalogue.

Trench & Site Catalogue



Scan the
QR code to
download the
catalogue.



GUARDIANCIVIL.CO.NZ

CONTACT:

sales@guardiancivil.co.nz
0508 41 41 41

CHRISTCHURCH

2 Edmonton Rd, Hornby,
Christchurch 8042

AUCKLAND

6a Te Apunga Place, Mount
Wellington, Auckland 1060

WELLINGTON HIRE YARD

24E Takapu Road, Grenada North,
Wellington 5028

All Guardian products are engineered and manufactured to comply with applicable industry standards and safety regulations in New Zealand, including those related to excavation support and ground stabilisation. However, it is the sole responsibility of the end user to ensure that all equipment is used correctly, safely, and within the limits for which it is designed. By purchasing or using our products, the user acknowledges and accepts full responsibility for ensuring the equipment is used appropriately and in compliance with all applicable regulations and best practices.

Always consult a qualified engineer or competent person before use.